

Aan de staatssecretaris van
Infrastructuur en Milieu
Mevrouw S.A.M. Dijkma
Postbus 20901
2500 EX Den Haag

DATUM 2 mei 2017
KENMERK CGM/170502-03
ONDERWERP Advies import en verwerking herbicidentolerante gg-maïs GA21xT25

Geachte mevrouw Dijkma,

Naar aanleiding van een adviesvraag betreffende de vergunningaanvraag voor de import en verwerking van de genetisch gemodificeerde maïs GA21xT25 (EFSA/GMO/DE/2016/137), ingediend door Syngenta, deelt de COGEM u het volgende mee.

Samenvatting:

De COGEM is gevraagd te adviseren over de mogelijke milieurisico's van import en verwerking van de genetisch gemodificeerde (gg-) maïslijn GA21xT25. In deze lijn komen de genen *mepsps* en *pat* tot expressie, waardoor het gewas tolerant is voor bepaalde herbiciden. De maïslijn is tot stand gekomen door de twee gg-ouderlijnen met elkaar te kruisen.

Verwildering van maïsplanten is in Nederland nooit waargenomen. Maïsplanten uit gemorst zaad (ook wel opslagplanten genoemd) worden hier nauwelijks aangetroffen. Bovendien zijn er in Nederland geen wilde verwanten van maïs aanwezig, waardoor de ingebrachte sequenties zich niet naar andere soorten kunnen verspreiden.

De moleculaire karakterisering van GA21xT25 voldoet aan de eisen van de COGEM. Er zijn geen redenen om aan te nemen dat expressie van de ingebrachte genen ervoor zorgt dat deze gg-maïslijn zou kunnen verwilderen.

Gezien het bovenstaande acht de COGEM de milieurisico's van de import en verwerking van de gg-maïslijn GA21xT25 verwaarloosbaar klein.

Omdat een voedselveiligheidsbeoordeling door andere instanties wordt uitgevoerd, heeft de COGEM bij deze vergunningaanvraag de risico's van incidentele consumptie niet beoordeeld.



De door de COGEM gehanteerde overwegingen en het hieruit voortvloeiende advies treft u hierbij aan als bijlage.

Hoogachtend,



Prof. dr. ing. Sybe Schaap
Voorzitter COGEM

c.c. Drs. H.P. de Wijs, Hoofd Bureau ggo
 Mr. J.K.B.H. Kwisthout, Ministerie van IenM
 Ing. M.A.C. Möllers, Food-Feed loket

Import and processing of genetically modified maize GA21xT25

COGEM advice CGM/170502-03

- The present application (EFSA/GMO/DE/2016/137) concerns the authorisation for import and processing for use in feed and food of genetically modified (GM) maize GA21xT25;
- Maize GA21xT25 was produced by conventional crossbreeding of the two GM parental maize lines GA21 and T25;
- The GM line expresses the *mepsps* and *pat* genes conferring tolerance to glyphosate and glufosinate-ammonium containing herbicides;
- COGEM advised positively on the import, processing and cultivation of the parental lines GA21 (2008, 2012) and T25 (2008, 2013).
- In the Netherlands, feral maize populations have never been observed and the appearance of volunteers is rare;
- In the Netherlands, wild relatives of maize have never been observed and hybridisation of maize with other species is therefore not possible;
- The molecular characterisation of maize GA21xT25 meets the criteria of COGEM;
- The updated molecular characterisation does not give any indication of a potential environmental risk;
- There are no indications that the introduced traits alter the fitness of maize GA21xT25;
- There are no reasons to assume that the introduced traits will allow GM maize GA21xT25 to survive in the Dutch environment;
- COGEM is of the opinion that import and processing of maize GA21xT25 poses a negligible risk to the environment in the Netherlands;
- COGEM abstains from giving advice on the potential risks of incidental consumption since a food/feed assessment is carried out by other organisations.

1. Introduction

The present application (EFSA/GMO/DE/2016/137), filed by Syngenta, concerns import and processing of genetically modified (GM) maize GA21xT25, for use in feed and food. Maize GA21xT25 was produced by conventional crossbreeding of the two GM parental maize lines GA21 and T25. The stacked line contains the *mepsps* and *pat* genes conferring tolerance to glyphosate and glufosinate-ammonium containing herbicides.

Parental lines GA21 and T25 have been authorised for import and processing for use in food and feed in the European Union since 2008 and 1998, respectively.^{1,2,3} In 2015 the European Commission renewed the authorisation for import and processing of T25.^{3,4}

2. Previous COGEM advices

COGEM previously advised on the import, processing and cultivation of parental lines maize GA21 and T25.^{5,6,7,8,9,10} In 2008 and 2012 COGEM advised positively on import and processing,

and cultivation of maize GA21.^{6,7,8} In 2008 COGEM advised positively on cultivation of maize T25, and in 2013 positively on import and processing of maize T25.^{9,10}

3. Environmental risk assessment

3.1 Aspects of the wild-type crop

Maize (*Zea mays*) is a member of the grass family *Poaceae*. It is a highly domesticated crop originating from Central America, but nowadays cultivated globally. Maize is wind pollinated,^{11,12} and has both male and female flowers that are spatially separated. Female flowers are not attractive to insect pollinators, because they do not produce nectar. As insects do not visit the female flowers, insect pollination of maize is probably highly limited but cannot be excluded.¹³

In the Netherlands, no wild relatives of maize are present and hybridisation with other species cannot occur. Maize requires warm conditions in order to grow and does not tolerate prolonged cold and frost.^{13,14} In cultivation areas with warmer climatic conditions, the appearance of volunteers can occur the year following maize cultivation due to spilled cobs or kernels. However, these volunteers are usually killed by common mechanical pre-planting soil preparation practices.¹³

Maize is very sensitive to weed competition.¹⁵ During the long process of domestication, maize has lost the ability to persist in the wild.¹² A soil seed bank, small seeds, and an extended period of flowering and seed production are characteristics often observed in persistent weeds.¹⁶ Maize lacks all these characteristics. After ripening, the seeds (the kernels) adhere to the cob and do not shatter naturally.^{13,17} Consequently, seed dispersal is severely hampered.

During field observations in Austria some volunteers and maize plants were observed in non-agricultural habitats.¹⁸ In the Netherlands, the appearance of volunteers is very rare, however, maize plants occasionally have been observed outside agricultural fields.¹⁹ COGEM is not aware of any reports of feral maize populations in the Netherlands or elsewhere in Europe.

Conclusion: In the Netherlands, feral maize populations do not occur and hybridisation of maize with other species is not possible.

3.2 Description of the introduced genes and traits

Maize GA21xT25 contains a *mepsps* and *pat* expression cassette conferring tolerance to glyphosate and glufosinate-ammonium containing herbicides.

Introduced genes	Encoded proteins (enzymes)	Traits
<i>mepsps</i>	Modified 5-enolpyruvylshikimate-3-phosphate synthase (EPSPS) originating from <i>Zea mays</i> ²⁰	Tolerance to glyphosate containing herbicides, because of a decreased binding affinity for glyphosate
<i>pat</i>	Variant of phosphinothricin N-acetyltransferase (PAT) originating from <i>Streptomyces viridochromogenes</i> strain Tü 494 ^{21,22}	Tolerance to glufosinate-ammonium containing herbicides
See references for a detailed description of the traits		

3.3 Molecular characterisation

GA21xT25 maize was produced by conventional crossbreeding of the GM maize lines GA21 and T25. The applicant confirmed by Southern blot analyses that the hybrid line contained both the parental transgenic inserts of GA21 and T25, and that no rearrangements of these inserts occurred. For each parental line, the applicant updated the bioinformatic analyses of the inserted elements and their 5' and 3' flanking regions using recent databases. According to the applicant, no essential endogenous genes were disrupted at the insertion site, and no biologically meaningful protein sequence similarities with allergens or toxic proteins were detected. The molecular characterisation was conducted according to the criteria previously laid down by COGEM.²³ The results from the updated molecular characterisation do not provide indications that GA21xT25 could pose a risk to the environment.

Conclusion: The molecular characterisation of maize GA21xT25 is adequate and no indications for potential environmental risks were identified.

3.4 Phenotypic and agronomic characteristics

The applicant analysed the phenotypic and agronomic characteristics of GA21xT25 and noted that most agronomic characteristics did not differ from those in the non-GM near-isogenic line. When differences were observed, they were within ranges considered to be normal for conventional maize. The results of the phenotypic evaluation do not give reason to assume that the GM maize line could pose an environmental risk.

In conclusion, COGEM is of the opinion that there are no indications to assume that the introduced traits in GA21xT25 allow the maize line to survive or establish in the Dutch environment.

Conclusion: GA21xT25 does not have an increased potential for the establishment of feral populations in the Netherlands.

4. Food/feed assessment

This application is submitted under Regulation (EC) 1829/2003, therefore a food/feed assessment is carried out by EFSA and national organisations involved in the assessment of food safety. In the Netherlands, RIKILT carries out a food and/or feed assessment for Regulation (EC) 1829/2003 applications. The outcome of the assessment by other organisations (EFSA, RIKILT) was not known when this advice was completed.

5. Post-market environmental monitoring (PMEM)

The applicant supplied a new general surveillance plan as part of the PMEM. COGEM has published several recommendations for further improvement of the general surveillance (GS) plan,^{24,25} but considers the current GS plan adequate for import and processing of maize GA21xT25.

6. Overall conclusion

COGEM is of the opinion that import and processing of maize GA21xT25 poses a negligible risk to the environment in the Netherlands. COGEM abstains from giving advice on the potential risks of incidental consumption since other organisations carry out a food/feed assessment.

References

1. European Commission (2008). Commission decision of 28 March 2008 authorising the placing on the market of products containing, consisting of, or produced from genetically modified maize GA21 (MON-ØØØ21-9) pursuant to Regulation (EC) No 1829/2003 of the European Parliament and of the Council. Official Journal of the European Union. 29.3.2008 L 87/19
2. European Commission (1998). Commission decision concerning the placing on the market of gm maize T25. Official Journal of the European Communities. 5.5.98 L131/30-31
3. International service for the acquisition of agri-biotech applications (ISAAA). GM approval database. www.isaaa.org/gmapprovaldatabase/default.asp (visited: 23 maart 2017)
4. European Commission (2015). Commission implementing decision (EU) 2015/697 of 24 April 2015 authorising the placing on the market of genetically modified maize T25 (ACS-ZMØØ3-2) and renewing the existing maize T25 (ACS-ZMØØ3-2) products, pursuant to Regulation (EC) No 1829/2003 of the European Parliament and of the Council (notified under document C(2015) 2772). Official Journal of the European Union. 30.4.2015 L 112/66
5. COGEM (2006). Import and processing of herbicide tolerant maize GA21. COGEM advice CGM/060606-01
6. COGEM (2008). Toelichting advies GA21. COGEM advies CGM/080117-02
7. COGEM (2008). Cultivation of herbicide tolerant maize line GA21. VERTROUWELIJK. COGEM advice CGM/081219-02
8. COGEM (2012). Additional advice on cultivation of glyphosate tolerant GA21 maize. COGEM advice CGM/120124-01
9. COGEM (2008). Renewal application cultivation of maize T25. COGEM advice CGM/080806-02
10. COGEM (2013). Additional advice on import of T25 maize. COGEM advice CGM/131028-01
11. Hin CJA (2001). Landbouwkundige risico's van uitkruising van GGO-gewassen. Centrum voor Landbouw en Milieu (CLM)
12. Treu R & Emberlin J (2000). Pollen Dispersal in the Crops Maize (*Zea mays*), Oil Seed Rape (*Brassica napus* ssp. *oleifera*), Potatoes (*Solanum tuberosum*), Sugar Beet (*Beta vulgaris* ssp. *vulgaris*) and Wheat (*Triticum aestivum*). Evidence from Publications. Soil Association
13. Andersson M & Carmen de Vicente M (2010). Gene flow between crops and their wild relatives. The John Hopkins University Press, Baltimore, Maryland, The United States of America
14. Miedema P (1982). The effect of low temperature on *Zea mays*. Advances in Agronomy 35: 93-128
15. CAB International (2007). Crop Protection Compendium. *Zea mays* (maize). CD-ROM edition, Wallingford

16. Kos SP *et al.* (2012). Can transgenic crops go wild? A literature study on using plant traits for weediness pre-screening. COGEM research report CGM 2012-01
17. Organisation for Economic Cooperation and Development (OECD) (2003). Consensus Document on the Biology of *Zea mays* ssp. *mays* (Maize)
18. Pascher K (2016). Spread of volunteer and feral maize plants in Central Europe: recent data from Austria. *Environ. Sci. Eur.* 28: 30
19. van de Wiel CCM *et al.* (2011). Crop volunteers and climate change. Effects of future climate change on the occurrence of maize, sugar beet and potato volunteers in the Netherlands. COGEM research report 2011-11
20. Lebrun M *et al.* (2003). Mutated 5-enolpyruvylshikimate-3-phosphate synthase, gene coding for said protein and transformed plants containing said gene. United States Patent no. US 6,566,587 B1
21. Organisation for Economic Cooperation and Development (OECD) (1999). Consensus document on general information concerning the genes and their enzymes that confer tolerance to phosphinothricin herbicide
22. Wohlleben W *et al.* (1988). Nucleotide sequence of the phosphinothricin *N*-acetyltransferase gene from *Streptomyces viridochromogenes* Tü494 and its expression in *Nicotiana tabacum*. *Gene* 70: 25-37
23. COGEM (2014). Reconsideration of het molecular characterisation criteria for marketing authorisation of GM crops. COGEM topic report CGM/140929-02
24. COGEM (2010). General Surveillance. COGEM topic report CGM/100226-01
25. COGEM (2015). Advice on improving the general surveillance of GM crops. COGEM advice CGM/150601-02