

Aan de staatssecretaris van Openbaar Vervoer en Milieu
Ministerie van Infrastructuur en Waterstaat
De heer A.A. Aartsen
Postbus 20901
2500 EX Den Haag


DATUM 05 december 2025
KENMERK CGM/251205-01
ONDERWERP Advice Import & processing MON87427×MON94804×MON89034×MIR162×NK603

Geachte heer Aartsen,

Naar aanleiding van een adviesvraag over de milieurisico's van de import en verwerking van genetisch gemodificeerde (gg) maïs MON87427 × MON94804 × MON89034 × MIR162 × NK603 en subcombinaties daarvan (GMFF-2025-34987), ontwikkeld door Bayer CropScience LP, deelt de COGEM u het volgende mee. Op verzoek van het Food-Feed loket voor ggo-markttoelatingen is het advies in het Engels opgesteld.

Samenvatting:

- De COGEM is gevraagd te adviseren over de mogelijke milieurisico's van import en verwerking van de genetisch gemodificeerde (gg-)maïs MON87427 × MON94804 × MON89034 × MIR162 × NK603, en alle subcombinaties daarvan;
- MON87427 × MON94804 × MON89034 × MIR162 × NK603 is verkregen door conventionele kruising van de vijf gg-ouderlijnen. De COGEM heeft eerder positief geadviseerd over import en verwerking van de gg-ouderlijnen;
- In deze kruisingslijn worden genen tot expressie gebracht die zorgen voor tolerantie tegen verschillende herbiciden en komen genen tot expressie waardoor de plant beter beschermd is tegen vraat door vlinderachtigen. Daarnaast brengt deze kruisingslijn een miRNA-transcript tot expressie, waardoor de stengel minder gibberellinezuur bevat. Hierdoor zijn planten van deze kruisingslijn minder hoog dan normaal;
- Er zijn geen verwilderde maïspopulaties in Nederland. De wilde verwant van maïs, teosinte, komt in Nederland niet voor in de natuur of op agrarische percelen;
- De moleculaire karakterisatie van de gg-maislijn voldoet aan de eisen van de COGEM en er is geen reden om aan te nemen dat de ingebrachte genen kunnen leiden tot verwildering;
- Gezien het bovenstaande is de COGEM van oordeel dat de milieurisico's van de import en verwerking van gg-maïs MON87427 × MON94804 × MON89034 × MIR162 × NK603, en alle subcombinaties daarvan, verwaarloosbaar klein zijn.



De door de COGEM gehanteerde overwegingen en het hieruit voortvloeiende advies treft u hierbij aan als bijlage.

Hoogachtend,

Prof. dr. ing. Sybe Schaap
Voorzitter COGEM

c.c.

- Drs. Y. de Keulenaar, Hoofd Bureau ggo
- Ministerie van IenW, Directie Omgevingsveiligheid en milieurisico's, DG Milieu en Internationaal
- Ing. M.A.C. Möllers, Food-Feed loket

Advice Import & processing MON87427×MON94804×MON89034×MIR162×NK603

COGEM advice CGM/251205-01

COGEM has been requested to evaluate the environmental risks associated with the authorisation for import, processing and food and feed use of genetically modified (GM) maize MON87427 × MON94804 × MON89034 × MIR162 × NK603 and its subcombinations (GMFF-2025-34987), as submitted by Bayer Agriculture B.V. on behalf of Bayer CropScience LP.

GM maize MON87427 × MON94804 × MON89034 × MIR162 × NK603 was produced by crossing the five GM parental maize lines using conventional breeding methods and expresses multiple introduced genes (Table 1). The GM maize expresses two copies of the cp4 epsps genes, derived from NK603 and MON87427, as well as one copy of the cp4 epsps L214P gene derived from NK603, all of which confer tolerance to glyphosate-containing herbicides. The cp4 epsps and cp4 epsps L214P genes differ by one amino acid at position 214 and are functionally equivalent. The GM maize expresses a GA20ox_SUP suppression cassette, derived from MON94804, which down-regulates the expression of the ZmGA20ox3 and ZmGA20ox5 genes and results in reduced levels of the plant hormone gibberellic acid/gibberellin. Consequently, MON87427 × MON94804 × MON89034 × MIR162 × NK603 has a reduced plant height. Furthermore, the GM maize expresses the transgenes *cry1A.105* and *cry2Ab2* derived from MON 89034 and the gene *vip3Aa20* derived from MIR162, which confer resistance against certain lepidopteran pests. In addition, GM maize MON87427 × MON94804 × MON89034 × MIR162 × NK603 contains the *pmi* derived from MIR162, which was used as a selectable marker during the development of MIR162.

Table 1. Description of the introduced genes and traits

Introduced genes/cassettes	Encoded proteins	Regulatory elements	Traits
<i>cp4 epsps</i> (MON87427)	The 5-enolpyruvylshikimate-3-phosphate synthase (EPSPS) enzyme originating from <i>Agrobacterium tumefaciens</i> strain CP4 ^{1,2}	Enhanced 35S (<i>e35S</i>) promoter from Cauliflower mosaic virus (CaMV) and nopaline synthase (<i>nos</i>) terminator from <i>A. tumefaciens</i>	Tolerance to glyphosate containing herbicides
GA20ox_SUP suppression cassette (MON94804)	Two inverted repeats derived from the maize coding sequences of gibberellin 20-oxidase homolog 3 and 5 (GA20ox3 and -5), flanked by three Osa-miR1425 fragments from <i>Oryza sativa</i>	Promoter and leader from the Rice tungro bacilliform virus (RTBV), ³ intron and flanking exon sequence from the <i>hsp70</i> gene from <i>Zea mays</i> ³ and synthetic 3' untranslated region (UTR) (GST43) based on multiple 3'UTR sequences from <i>Z. mays</i>	Reduced gibberellic acid/ gibberellin levels in the stem and reduced overall plant height ⁴
<i>cry1A.105</i> (MON89034)	The Cry1A.105 protein is a chimeric protein with domains from different Cry1 proteins from <i>Bacillus thuringiensis</i> subsp. <i>kumamotoensis</i> ⁵	Enhanced 35S (<i>e35S</i>) promoter from CaMV and T-Hsp17 terminator from <i>Triticum aestivum</i>	Resistance to certain lepidopteran insects
<i>cry2Ab2</i> (MON89034)	Variant of the Cry2Ab2 protein from <i>B. thuringiensis</i> subsp. <i>kurstaki</i> ⁵	35S promoter from Figwort mosaic virus (FMV) and <i>nos</i> terminator from <i>A. tumefaciens</i>	Resistance to certain lepidopteran insects
<i>vip3Aa20</i> (MIR162)	Variant of a native vegetative insecticidal protein (Vip) class A, subclass a, (Vip3Aa20) originating from <i>B. thuringiensis</i> strain AB88 ⁶	Polyubiquitin promoter and intron (ZmUbiInt) from <i>Z. mays</i> and 35S terminator from CaMV	Resistance to certain lepidopteran insects
<i>pmi</i> , also known as <i>manA</i> (MIR162)	Phosphomannose isomerase (PMI) enzyme derived from <i>Escherichia coli</i> K12 ⁷	Polyubiquitin promoter and intron (ZmUbiInt) from <i>Z. mays</i> and nopaline synthase (<i>nos</i>) terminator from <i>A. tumefaciens</i>	Enables transformed plant cells to use mannose as a sole carbon source

Introduced genes/cassettes	Encoded proteins	Regulatory elements	Traits
<i>cp4 epsps</i> (NK603)	The EPSPS enzyme originating from <i>A. tumefaciens</i> strain CP4 ^{1,2}	<i>Ract1</i> promoter from <i>O. sativa</i> and <i>nos</i> terminator from <i>A. tumefaciens</i>	Tolerance to glyphosate containing herbicides
<i>cp4 epsps</i> L214P (NK603)	The EPSPS L214P enzyme originating from <i>A. tumefaciens</i> strain CP4 ^{1,2} , functionally equivalent to the EPSPS enzyme	<i>E35S</i> promoter from CaMV and <i>nos</i> terminator from <i>A. tumefaciens</i>	Tolerance to glyphosate containing herbicides

COGEM has previously advised positively on the cultivation and import of NK603^{8,9,10} and MON89034^{11,12}, and on import and processing of the parental lines MON87427,^{13,14} MON94804,¹⁵ and MIR162.^{16,17} COGEM also advised positively on the import and processing of many stacked events containing these parental lines,^{e.g. 18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49} as well as the cultivation of several stacked events containing one or more of the involved parental lines.^{50,51,52,53,54} The parental lines NK603, MON89034, MON87427, MON94804, and MIR162 have all been authorised for import and processing for use in food and feed in the European Union.^{55,56,57,58,59}

Maize (*Zea mays*) is a highly domesticated crop that is cultivated globally. Maize is wind pollinated.^{60,61} Insect pollination of maize is highly limited but cannot be excluded.⁶² Maize is very sensitive to weed competition.⁶³ During the long process of domestication, maize has lost the ability to persist in the wild.⁶¹ After ripening, the seeds (the kernels) adhere to the cob and do not scatter naturally.^{62,64} Consequently, seed dispersal is severely hampered.

Maize does not tolerate prolonged cold and frost, and requires warm conditions to grow.^{62,65,66} In cultivation areas with warm climatic conditions, volunteers – maize not deliberately planted – can be present the year following maize cultivation due to spilled cobs or kernels. However, these volunteers are usually killed by common mechanical pre-planting soil preparation practices.⁶² In the Netherlands the appearance of volunteers is rare, although maize plants occasionally have been observed outside agricultural fields.^{65,67} Any volunteers emerging will be killed by frost at the onset of winter.⁶⁵ COGEM is not aware of any reports of feral maize populations in the Netherlands.⁶⁵ Hybridisation of GM maize with species other than teosinte – the wild relative of maize – cannot occur. However, as teosinte is absent in maize fields and nature in the Netherlands,⁶⁵ hybridisation of GM maize with teosinte will not occur in the Netherlands.

The bio-informatic analysis of each of the inserted elements and its 3' and 5' junctions with the genome of GM maize MON87427 × MON94804 × MON89034 × MIR162 × NK603 were updated, using up-to-date databases of allergens, toxins, and other biologically active proteins to assess protein sequence similarities. No indications for potential environmental risks were identified.

The applicant analysed the phenotypic and agronomic characteristics of MON87427 × MON94804 × MON89034 × MIR162 × NK603 and reported that most characteristics of the GM maize did not differ from the non-GM near-isogenic control line, and is equivalent to the reference varieties, taking natural variation into account.

There are no indications that the introduced traits in MON87427 × MON94804 × MON89034 × MIR162 × NK603 will allow the GM maize to survive in the Dutch environment. A post-market environmental monitoring (PMEM) plan is provided in the application.

COGEM is of the opinion that the market authorisation for import and processing of GM maize of MON87427 × MON94804 × MON89034 × MIR162 × NK603 and its subcombinations poses a negligible risk to the Dutch environment. COGEM abstains from giving advice on the potential risks of incidental consumption, as a food/feed assessment is carried out by other organisations.

References

1. Harrison LA et al. (1993). Characterization of Microbially-Expressed Protein: CP4 EPSPS. Monsanto Company, MSL0012901.
2. Funke T et al. (2006). Molecular basis for the herbicide resistance of Roundup Ready crops. *Proc. Natl. Acad. Sci. U. S. A* 103: 13010-13015
3. European Food Safety Authority (EFSA) (2010). Scientific opinion. Guidance on the environmental risk assessment of genetically modified plants. *The EFSA Journal* 8: 1879
4. Paciorek T et al. (2022). Targeted suppression of gibberellin biosynthetic genes ZmGA20ox3 and ZmGA20ox5 produces a short stature maize ideotype. *Plant Biotechnol. J* 20: 1140-1153
5. Drury SM et al. (2008). Composition of forage and grain from second-generation insect-protected corn MON 89034 is equivalent to that of conventional corn (*Zea mays* L.). *J. Agric. Food Chem.* 12: 4623-4630
6. Estruch JJ et al. (1996). Vip3A, a novel *Bacillus thuringiensis* vegetative insecticidal protein with a wide spectrum of activities against lepidopteran insects. *Proc. Natl. Acad. Sci. U.S.A.* 93: 5389-5394
7. Negrotto M et al. (2000). The use of phosphomannose-isomerase as a selectable marker to recover transgenic maize plants (*Zea mays* L.) via *Agrobacterium* transformation. *Plant Cell Rep.* 19: 798-803
8. COGEM (2003). Markttoelating 'NK603 maize tolerant to glyphosate'. [In Dutch] COGEM advice CGM/030319-08
9. COGEM (2006). Cultivation of herbicide tolerant maize line NK603. COGEM advice CGM/060704-01
10. COGEM (2024). Renewal of the authorisation for import and processing of genetically modified maize NK603. COGEM advice CGM/240812-01
11. COGEM (2009). Molecular characterization of maize MON89034. COGEM advice CGM/090126-01
12. COGEM (2012). Application for cultivation of MON89034 maize. COGEM advice CGM/120710-02
13. COGEM (2013). Import and processing of maize line MON87427 with tissue-selective tolerance to glyphosate. COGEM advice CGM/130314-01
14. COGEM (2024). Renewal of the authorisation for import and processing of genetically modified maize MON87427. COGEM advice CGM/240814-01
15. COGEM (2023). Environmental risk assessment of import and processing of GM maize MON94804. CGM/230713-01
16. COGEM (2010). Import and processing of genetically modified maize MIR162. COGEM advice CGM/101019-04
17. COGEM (2021). Renewal of the authorisation for import and processing of genetically modified maize MIR162. COGEM advice CGM/210927-01
18. COGEM (2005). Import and processing of insect resistant and herbicide tolerant maize MON863 x MON810 x NK603. COGEM advice CGM/050228-02
19. COGEM (2005). Import and processing of insect resistant and herbicide tolerant maize MON863 x NK603. COGEM advice CGM/050228-03
20. COGEM (2007). Import and processing of MON89034xNK603. COGEM advice CGM/071022-03
21. COGEM (2007). Import of genetically modified maize 59122 x 1507 x NK603. COGEM advice CGM/070817-01
22. COGEM (2007). Import of genetically modified maize 59122 x NK603. COGEM advice CGM/070817-02
23. COGEM (2009). Additional advice on the import and processing of MON89034xNK603. COGEM advice CGM/091020-01
24. COGEM (2009). Cultivation of maize line MON89034xNK603. COGEM advice CGM/091208-01
25. COGEM (2012). Import and processing of genetically modified maize line 1507 x 59122 x MON810 x NK603. COGEM advice CGM/120402-01
26. COGEM (2015). Import and processing of insect resistant and herbicide tolerant maize MON87427xMON89034xNK603. COGEM advice CGM/150817-01
27. COGEM (2007). Import and processing of maize MON89034. COGEM advice CGM/071022-02

28. COGEM (2007). Import and processing of maize MON89034xMON88017. COGEM advice CGM/071022-01
29. COGEM (2009). Import and processing of GM maize line MON89034x1507xMON88017x59122. COGEM advice CGM/090428-12
30. COGEM (2009). Import and processing of genetically modified MON89034x1507xNK603 maize. COGEM advice CGM/090930-01
31. COGEM (2010). Import and processing of genetically modified soybean MON87701xMON89788. COGEM advice CGM/100202-01
32. COGEM (2010). Additional advice on the import and processing of MON89034 x MON88017. COGEM advice CGM/100421-02
33. COGEM (2018). Import and processing of genetically modified maize Bt11xMIR162xMIR604xMON89034x5307xGA21 and sub-combinations. COGEM advice CGM/180924-01
34. COGEM (2019). Aanvullend advies over de hernieuwing van de importvergunning van de ggmaislijn MON89034, naar aanleiding van een recente EFSA opinie. COGEM advice CGM/191205-01
35. COGEM (2021). Environmental risk assessment of import and processing of genetically modified maize DP4114xMON89034xMON87411xDAS-40278-9 and its sub-combinations. COGEM advice CGM/210809-01
36. COGEM (2016). Import and processing of genetically modified maize MON87427xMON89034xMIR162xNK603. COGEM advice CGM/160824-01
37. COGEM (2016). Import and processing of insect resistant and herbicide tolerant generically modified maize 1507xMON810xMIR162xNK603. COGEM advice CGM/160412-01
38. COGEM (2017). Import and processing of genetically modified maize MON89034x1507xMON88017x59122xDAS-40278-9. COGEM advice CGM/170814-01
39. COGEM (2017). Import and processing of genetically modified maize MON89034x1507xNK603xDAS-40278-9. COGEM advice CGM/170131-01
40. COGEM (2017). Renewal of the authorisation for import of feed of genetically modified 1507xNK603 maize. COGEM advice CGM/170731-02
41. COGEM (2017). Renewal of the authorisation for import of feed of genetically modified NK603xMON810 maize. COGEM advice CGM/170628-01
42. COGEM (2018). Import and processing of genetically modified maize DP4114xMON810xMIR604xNK603. COGEM advice CGM/181019-01
43. COGEM (2018). Import and processing of genetically modified maize MON87427xMON89034x1507xMON87411x59122xDAS-40278-9 and sub-combinations. COGEM advice CGM/180806-03
44. COGEM (2018). Import and processing of genetically modified maize MON89034x1507xMIR162xNK603x DAS-40278-9 and sub-combinations. COGEM advice CGM/181220-03
45. COGEM (2023). Renewal of the authorisation for import and processing of genetically modified maize MON89034x1507xMON88017x59122 and part of its subcombinations. COGEM advice CGM/230622-01
46. COGEM (2023). Renewal of the authorisation for import and processing of genetically modified maize MON89034x1507xNK603. COGEM advice CGM/230711-01
47. COGEM (2024). Import and processing of genetically modified maize DP202216xNK603xDAS-40278-9 and subcombinations. COGEM advice CGM/240415-01
48. COGEM (2024). Renewal of the authorisation for import and processing of genetically modified maize NK603xT25. COGEM advice CGM/241011-01
49. COGEM (2015). Import and processing of insect resistant and herbicide tolerant maize MON87427xMON89034x1507xMON88017x59122. COGEM advice CGM/150825-02
50. COGEM (2007). Advice cultivation of maize variety 59122xNK603x1507. COGEM advice CGM/070925-03
51. COGEM (2011). Additional information concerning the application for cultivation of MON89034xNK603 maize. COGEM advice CGM/110803-01
52. COGEM (2012). Additional information concerning the application for cultivation of genetically modified MON89034xNK603 maize. COGEM advice CGM/120327-01
53. COGEM (2009). Cultivation of maize line MON89034 x MON88017. COGEM advice CGM/091222-02
54. COGEM (2013). Mixture toxicity regarding the application for cultivation of MON89034xNK603 maize. COGEM advice CGM/130604-02
55. European Commission (EC) (2015). Commission Implementing Decision (EU) 2015/684 of 24 April 2015 authorising the placing on the market of genetically modified maize NK603 (MON-00603-6) and renewing the existing maize NK603 (MON-00603-6) products, pursuant to Regulation (EC) No 1829/2003 of the European Parliament and of the Council (notified under document C(2015) 2753). Official Journal of the European Union. L 112/6

56. EC (2009). Commission Decision authorising the placing on the market of products containing, consisting of, or produced from genetically modified maize MON 89034 (MON-89034-3) pursuant to Regulation (EC) No 1829/2003 of the European Parliament and of the Council (2009/813/EC). Official Journal of the European Union. L 289/21
57. EC (2015). COMMISSION IMPLEMENTING DECISION (EU) 2015/2281 of 4 December 2015 authorising the placing on the market of products containing, consisting of, or produced from genetically modified maize MON 87427 (MON-87427-7) pursuant to Regulation (EC) No 1829/2003 of the European Parliament and of the Council (notified under document C(2015) 8587). Official Journal of the European Union L 322/67
58. EC (2025). Commission Implementing Decision (EU) 2025/692 of 9 April 2025 authorising the placing on the market of products containing, consisting of or produced from genetically modified maize MON 94804 pursuant to Regulation (EC) No 1829/2003 of the European Parliament and of the Council (notified under document C(2025) 2116) Official Journal of the European Union
59. EC (2012). Commission Implementing Decision of 18 October 2012 authorising the placing on the market of products containing, consisting of, or produced from genetically modified maize MIR162 (SYN-IR162-4) pursuant to Regulation (EC) No 1829/2003 of the European Parliament and of the Council (notified under document C(2012) 7198). Official Journal of the European Union L 290/14
60. Hin CIA (2001). Landbouwkundige risico's van uitkruising van GGO-gewassen. [In Dutch] Centrum voor Landbouw en Milieu (CLM)
61. Treu R & Emberlin J (2000). Pollen dispersal in the crops Maize (*Zea mays*), Oil Seed Rape (*Brassica napus* ssp. *oleifera*), Potatoes (*Solanum tuberosum*), Sugar Beet (*Beta vulgaris* ssp. *vulgaris*) and Wheat (*Triticum aestivum*). Evidence from Publications. Soil Association
62. Andersson M & Carmen de Vicente M (2010). Gene flow between crops and their wild relatives. The John Hopkins University Press, Baltimore, Maryland, The United States of America
63. CAB International (2007). Crop Protection Compendium. *Zea mays* (maize). CD-ROM edition, Wallingford
64. Organisation for Economic Cooperation and Development (OECD) (2003). Consensus document on the biology of *Zea mays* ssp. *mays* (Maize)
65. Huiting HF et al. (2018). Are teosinte and feral maize present in the Netherlands? COGEM report CGM 2018-06
66. Miedema P (1982). The effect of low temperature on *Zea mays*. *Advances in Agronomy* 35: 93-128
67. Van de Wiel CCM et al. (2011). Crop volunteers and climate change. Effects of future climate change on the occurrence of Maize, Sugar Beet and Potato volunteers in the Netherlands. COGEM report 2011-11